

## Non-technical skills for surgeons in the operating room: A review of the literature

S. Yule, PhD,<sup>a</sup> R. Flin, PhD,<sup>a</sup> S. Paterson-Brown, FRCS,<sup>b</sup> and N. Maran, FRCA,<sup>c</sup> Aberdeen and Edinburgh, Scotland

**Background.** This review examines the surgical and psychological literature on surgeons' intraoperative non-technical skills. These are the critical cognitive and interpersonal skills that complement surgeons' technical abilities. The objectives of this paper are (1) to identify the non-technical skills required by surgeons in the operating room and (2) assess the behavioral marker systems that have been developed for rating surgeons' non-technical skills.

**Methods.** A literature search was conducted against a set of inclusion criteria. Databases searched included BioMed Central, Medline, EDINA BIOSIS, Web-of-Knowledge, PsychLit, and ScienceDirect.

**Results.** A number of "core" categories of non-technical skills were identified from 4 sources of data: questionnaire and interview studies, observational studies, adverse event analyses, and the surgical education/competence assessment literature. The main skill categories were communication, teamwork, leadership, and decision making. The existing frameworks used to measure surgeons' non-technical skills were found to be deficient in terms of either their psychometric properties or suitability for rating the full range of skills in individual surgeons.

**Conclusions.** Further work is required to develop a valid taxonomy of individual surgeons' non-technical skills for training and feedback. (Surgery 2006;139:140-9.)

From the School of Psychology, University of Aberdeen,<sup>a</sup> and the Departments of Surgery<sup>b</sup> and Anaesthesia,<sup>c</sup> Royal Infirmary, Edinburgh

ANALYSES of adverse events in health care<sup>1,2</sup> have found that many underlying causes originate from failures in non-technical aspects of performance rather than a lack of technical expertise. In a recent study, communication was found to be a causal factor in 43% of errors made in surgery.<sup>3</sup> Another study reports that 27% of claims against a health care organization resulted from cognitive and diagnostic errors in the operating room.<sup>4</sup> These findings support the argument that technical skills are necessary but not sufficient to maintain high levels of performance over time. To achieve and maintain high

surgical performance, attention needs to be paid to non-technical skills such as team working, leadership, situation awareness, decision making, task management, and communication. These skills are trained in crew resource management (CRM) courses<sup>5</sup> in anaesthesia,<sup>6</sup> civil aviation,<sup>7</sup> oil exploration,<sup>8</sup> and nuclear power but have not yet been taken seriously in surgery. Whereas these competencies have been discussed by surgeons,<sup>9</sup> and the need to address team working has been identified by governing bodies<sup>10</sup> as well as the Royal College of Surgeons of Great Britain and Ireland,<sup>11</sup> surgical education has focused traditionally on developing knowledge, clinical expertise, and technical skills. Aspects of performance such as decision making, leadership, and team working have not been addressed explicitly in training but have been developed in a more informal and tacit manner.<sup>12</sup> This is surprising, given the impact of non-technical skills on patient safety.

Behavioral marker systems are used to structure training and evaluation of non-technical skills

Funded by the Royal College of Surgeons of Edinburgh and NHS Education for Scotland (NES).

Accepted for publication June 1, 2005.

Reprint requests: Steven Yule, PhD, School of Psychology, King's College, University of Aberdeen AB24 2UB, United Kingdom. E-mail: s.j.yule@abdn.ac.uk.

0039-6060/\$ - see front matter

© 2006 Mosby, Inc. All rights reserved.

doi:10.1016/j.surg.2005.06.017

in high-demand professions.<sup>13,14</sup> These marker systems are based on skills taxonomies and are used to identify and rate “observable, non-technical behaviours that contribute to superior or substandard performance.”<sup>15</sup> Behavioral marker systems are context specific and must be developed for the domain in which they are to be used. For effective non-technical skills assessment, the system needs to be explicit, transparent, reliable, and valid. For example, the taxonomies developed for pilots<sup>7</sup> and anaesthetists<sup>16</sup> have been developed systematically and subjected to experimental and practical evaluation.

The General Medical Council (GMC) is considering introducing licences to practice, supported by periodic revalidation of all doctors in the United Kingdom (including surgeons). The revalidation will be based on the core content of the Good Medical Practice document.<sup>17</sup> Good medical practice includes communication skills, teamwork, and leadership. With the long-term aim of developing training in these areas for surgeons, the objective of the current review is to (1) identify the non-technical skills required by surgeons in the operating room and (2) assess the behavioral marker systems that have been developed for rating surgeons’ non-technical skills.

## MATERIAL AND METHODS

The literature search was carried out by consulting a number of different sources:

- Databases and University library catalogues, including BioMed Central, Medline, Web-of-Knowledge, EDINA BIOSIS, PsychLit, and ScienceDirect.
- Proceedings from recent applied health care, psychology, and human factors conferences.
- The Library of the Royal College of Surgeons of Edinburgh.
- Bibliographies from relevant research articles and book chapters.
- Previous research on non-technical skills in aviation, nuclear power, and anaesthesia.
- Search of key journals: eg, *Surgery*, *Annals of Surgery*, *British Journal of Surgery*, *British Medical Journal*, *Human Factors*, *Quality and Safety in Healthcare*, and *Safety Science*.

The following search terms were used: *non-technical/skills/surgeon/surgeons/surgical/communication/decision making/leadership. cognitive/training/trainees/operating theatre/Protein levels of proinflammatory cytokines and chemokines in BALF. assessment/competence/error/CRM/risk/patient. safety/behaviour/behavioural markers/simulation/medicine/medical*. The criteria for inclusion in this review were (1) addresses surgeons’ non-technical skills (trainee or consultant),

(2) based on intraoperative environment, and (3) published in English. This review is subdivided by the following sources:

- i. Questionnaire and interview studies with surgeons
- ii. Observational studies of surgeons (in-vivo, videotaped, simulated)
- iii. Surgical adverse event analyses
- iv. Surgical education, training and competence assessment

## RESULTS

**Questionnaire and interview studies.** *The Surgical Team Assessment Record (STAR):* The STAR questionnaire was designed to study the role of human factors in surgical outcomes<sup>18</sup> and measure the organizational, situational, team, and personal factors thought to contribute to surgical performance. Questions on team factors cover dealing with unexpected events, communication between theater teams, preoperative briefings, confidence in other team members’ abilities, and the level of harmony or disharmony among team members. Personal factors include technical skill, mental preparedness, and keeping pace with events. This questionnaire was used by de Leval et al<sup>18</sup> to collect postoperative rating data from all cardiac theater staff involved in 243 neonatal arterial switch operations. Logistic regression analysis found the ratings of these factors did not significantly predict surgical outcomes. However, because the psychometric properties of the rating form did not appear to have been assessed, and staff did not appear to have been trained to make such judgements, the reliability of their ratings is open to question.

*The Operating Room Management Attitudes Questionnaire (ORMAQ):* The ORMAQ<sup>19</sup> is a survey instrument that measures the attitudes of operating theatre personnel toward safety, error, teamwork, leadership, and authority. Helmreich and Schaefer<sup>20</sup> analyzed ORMAQ data from 53 surgeons, 45 anaesthetists, and 54 theatre nurses in a European hospital. There was general agreement that communication and coordination were as important as technical proficiency for safety and efficiency in the operating theater. Surgeons (and nurses) were more supportive of a culture in which junior members of staff do not question the decisions made by senior staff members, and surgeons were less accepting than anaesthetists that a preoperative briefing was important for teamworking. In related research, cross-department planning and debrief meetings for individual cases were associated with improved team coordination and

**Table I.** Non-technical skills for surgical trainees identified by Baldwin et al<sup>26</sup> and tested for feasibility by Paisley et al<sup>63</sup>

Skills	Median weighting
Teamwork	
Seeks advice when beyond limits of confidence	4
Can be trusted to carry out instructions	4
Able to communicate clearly with other staff members	3
Accepts feedback on own performance	3
Can keep to time	3
Understands other staff members' points of view	3
Delegates to others when appropriate	3
Aware of the role of other specialities	3
Able to offer constructive criticism to others	3
Can cope with unreasonable colleagues	2
Other non-technical skills	
Reviews diagnosis and management regularly	3
Adapts quickly if problems in operating/management arise	3
Knows when not to intervene	3
Decides quickly in an emergency	3
Can improvise where necessary	3

faster learning rates in an analysis of the implementation of a new cardiac procedure in 16 different hospitals.<sup>21</sup>

Another ORMAQ study of theater staff in 2 hospitals<sup>22</sup> (locations not specified), found that surgeons generally advocated a structured hierarchy of authority (anaesthetists and nurses valued a flatter team hierarchy). Surgeons were also reluctant to recognize personal vulnerability to stress. Similar results are reported by Sexton et al<sup>23</sup> who analyzed ORMAQ data from 851 surgical and anaesthetic consultants, nurses, and residents in 12 teaching and nonteaching hospitals in the United States and Europe. Surgeons were more confident about their ability to perform well when fatigued than surgical trainees, anaesthetic consultants, or theater nurses. Consultant surgeons were also more in favor of a strict hierarchy in the operating room and less likely to encourage junior team members to question the decisions made by more senior team members (ie, consultants). These results are in contrast to those presented by Edmondson<sup>24</sup> who found that the ability to speak up in the operating room was crucial to the successful implementation of new technology in cardiac surgery. She found that the most

effective leaders minimized power and status differences rather than endorsed them.

In the study by Sexton et al,<sup>23</sup> both consultant and trainee surgeons rated the quality of teamworking with anaesthetic staff highly (62%). This was in contrast to the 41% of anaesthetic staff who rated teamworking with their surgical colleagues highly. Corroborating evidence for this mismatch is provided in an ORMAQ study of anaesthetists (n = 222) in Scottish hospitals<sup>25</sup> where anaesthetists rated the quality of teamwork with surgeons as lower than that with other theater personnel.

*Surgeons' opinions of critical surgical skills:* Many studies have used opinions of subject matter experts (senior surgeons) to identify the skills required by good surgeons. Some of these form the basis for assessment tools. The elements incorporated in the Edinburgh Basic Surgical Training Assessment Form (EBSTAF) were based on a survey of consultant surgeons<sup>26</sup> who identified 5 domains of skill required for surgeons: (1) technical skills, (2) clinical skills, (3) communication with patients and relatives, (4) teamwork skills, and (5) application of knowledge. A delphi technique was used to rank each skill within the 5 domains on a 4-point scale, from (4) "absolutely essential," to (1) "irrelevant." Table I lists the teamwork skills that were identified. Two of these (seeking advice and trusted to carry out instructions) were deemed "absolutely essential" and were regarded often as more important than technical skills. Other skills listed relate to communication and maintaining situation awareness as well as monitoring the performance of self and others and managing workload and time (Table I).

Cuschieri et al<sup>27</sup> conducted a survey of 58 "master" surgeons' opinions of surgical trainees. More than 70% agreed that the top 3 attributes for trainee surgeons were (1) cognitive ability, (2) innate dexterity, and (3) personality. The dominant view among master surgeons was that the impact of cognitive ability and personality traits (ie, non-technical skills) on eventual operative technical competence was less important than dexterity (ie, technical skill).

Analysis from a similar interview study with 33 Canadian surgeons<sup>28</sup> found that 49% of the sample rated mental skills as most important in surgery, compared with 41% technical and 10% physical. This study also found several emerging themes related to mental preparation in the operating theater, including commitment, self-belief, positive imagery, mental readiness, and distraction

control. Surgeons in all specialities also reported significantly lower levels of readiness (particularly mental readiness) before unsuccessful operations. Other surgeons have endorsed these views, for example, Youngson<sup>29</sup> recognized the importance of communication skills and cognitive ability such as decision making in surgical performance but conceded that the craft aspect of surgical competence receives “heavy emphasis” and “decision-making, as an entity in its own right, is poorly tutored.”

**Observational studies of surgeons.** *Observations of actual operations—in vivo:* de Leval et al<sup>18</sup> observed 243 neonatal arterial switch operations performed by 21 cardiac surgeons in 16 UK centers. On the basis of this research and studies of excellence in surgery,<sup>28,30</sup> Carthey et al<sup>31</sup> developed a “framework of the individual, team and organisational factors that underpin excellence in paediatric surgery.” Non-technical skills were rated in their taxonomy at the individual (surgeon) level, in addition to “technical” skill (Table II). Leadership, communication, and coordination were listed as team level behavioral markers.

This framework was used by Carthey et al<sup>32</sup> to rate the behavior of 16 surgeons (from the original sample) during 166 operations. Logistic regression models were run to provide “procedural excellence scores” using 2 outcomes: probability of death and the probability of death or near miss. Although no statistical analyses were carried out, they examined the behavioral marker scores to explain differences in case outcome (surgical excellence). For example, 3 of 4 surgeons who were rated highly on all of the individual markers experienced no “uncompensated major events” (errors leading to the event that were not recovered). On the basis of these findings, the authors argue that behavioral markers can be used to explain differences in performance between cardiac surgery teams.

Surgical team behavior during “live” operations in the United States was studied by Roth et al.<sup>33</sup> In this study, a surgeon and a human factors engineer each took notes about communications, information flow, and task execution during 10 complex intestinal tract or liver operations. These notes were analyzed to reveal system strengths and vulnerabilities, adverse events, near misses, and compensation strategies. This revealed several non-technical issues, such as cognitive and collaborative demands of surgeons (ie, competing tasks), adaptive strategies, conflicting goals, and discipline-spanning goals. A structured method of observing performance in theater was not used; this study focused instead on descriptions of behavior to uncover emerging themes.

**Table II.** Individual level behavioral markers of surgical excellence

---

Mental readiness
Cognitive flexibility (ability to switch between strategies/hypotheses)
Anticipation (of problem before they get out of control)
Team adaptation (reaction to changes in the team)
Safety awareness (how the surgeon handles various safety related goals)
Situational awareness
Communication style

---

Reprinted with permission from Carthey et al.<sup>32</sup>

Helmreich and Schaefer<sup>20</sup> observed operations in a European teaching hospital using 9 categories of “specific behaviours that can be evaluated in terms of their presence or absence and quality... that are essential for safe and efficient function.” Using this behavior categorization (Table III) for the observations, they identified a number of instances of error relating to inadequate teamwork, failures in preparation, briefings, communication, and workload distribution. As this did not provide a quantitative database against which to measure interventions such as training, Helmreich et al.<sup>34</sup> designed the Operating Room Checklist (ORCL), which was based on a behavioral marker system from aviation<sup>15,35</sup> and consisted of a list of behavior categories with rating scales that could be used to assess the non-technical performance of operating teams. The ORCL system was principally designed to measure team behaviors rather than to rate the non-technical skills of individual surgeons, and there do not appear to be any published reports on its use as a teaching or research tool.

The Observational Teamwork Assessment for Surgery tool (OTAS) was used by Healey et al<sup>36</sup> to observe 3 phases of surgery: pre-, intra-, and post-operative. The OTAS is a measure of team rather than individual performance in surgery and is based on a generalized model of teamwork.<sup>37</sup> It incorporates concurrent observation of task completion and teamwork by 2 independent raters, a similar method to that used by Roth et al.<sup>33</sup> Teamwork was assessed using 7-point behavioral observation scales that cover cooperation, leadership, coordination, awareness, and communication for relevant roles in the theater. After taking notes on task-related behaviors, the observer provided ratings for the “overall impression of team behaviour” in each phase. Preliminary results from a sample of 50 general cases indicate that behavior ratings differ for each scale and that a potential relationship exists between coordination and communication.

**Table III.** Errors observed in operating theaters classified by behavior category

<i>Behavior category</i>	<i>Error</i>
Communications/decisions	Surgeon's failure to inform anaesthetist
Preparation/planning/vigilance	Failure to anticipate events during complex procedure
	Failure to monitor other team activities
Workload distribution/distraction avoidance	Consultant distracted from making a decision by problems reported from another operating theatre
Briefings	Failure to brief own team
Inquiry/assertion/advocacy	Failure to discuss alternative procedure
Interpersonal relationships/group climate	Hostility and frustrations owing to poor team coordination
Team self-critique	Failure to debrief operation to learn from situation
Leadership/followership/concern for tasks	Failure to establish leadership for operating room team
Conflict resolution	Unresolved conflicts between surgical team and anaesthetists

Reprinted with permission from Helmreich and Schaefer.<sup>20</sup>

However, no formal statistical analyses have been published, and the authors acknowledge that establishing the validity of such an assessment of surgical team performance is a "substantial undertaking."<sup>36</sup>

*Observations of actual operations—from videotape.* Using video recording to conduct behavioral analysis is ideally suited to complex domains because events involving dynamic decision making and teamwork can be replayed to analyze the full range of behaviors. Medical videotaped studies to date focus on trauma teams<sup>38</sup> or anaesthetic procedures.<sup>39</sup> Probably because of current ethical and legal constraints, there seem to be very few centers videotaping surgical operations and using these for non-technical skills analysis. In one study, Dominguez<sup>40</sup> interviewed 20 surgeons asked to role-play as the supervising surgeon for the case, as they watched a videotape of a "challenging" laparoscopic gallbladder removal. This revealed particular cognitive skills relating to risk assessment, anticipation, prediction of difficulty, and decisions about possible actions.

*Observations of simulated operations.* Simulation studies with electronic manikins are more common in anaesthesia than in surgery for both training<sup>41</sup> and assessment.<sup>42</sup> However, simulators have been used with surgical teams, such as the Team-Oriented Medical Simulation which incorporated both a computer-controlled anaesthetic mannequin and a laparoscopic simulator.<sup>43</sup> This affords increased integration of training for surgeons and anaesthetists.<sup>44</sup> Lower-fidelity forms of simulation such as computer-based tasks have been used to test and train cognitive skills in surgeons. In one such study, a simulation with 6 30-minute decision tasks was run with 15 surgical residents who each had at least 2 years' experience.<sup>45</sup> The scenarios were apparently well validated, challenging, and standardized. The computer provided

performance measures, such as response speed. Expert assessments of each surgeon's skills were made on an assessment form by 3 faculty members most familiar with the clinical performance of the participant. A number of non-technical skills (list derived by the researchers, Table IV) were assessed along with aspects of technical proficiency, and both "objective" simulation measures and "subjective" expert judgements. Satish et al<sup>45</sup> reported that computer task scores correlated significantly with the expert ratings. On the basis of these findings, they argued that the role of critical thinking in surgery should be enhanced as it is "of equal, if not greater, significance" than factual and problem-solving abilities and is particularly relevant to dealing with complex and unanticipated medical scenarios.

There are several studies that focus on the use of virtual reality (VR) simulators with surgeons, although they focus mainly on using this technology to improve technical proficiency.<sup>46</sup> However, cognitive skills, such as planning and decision making, can be incorporated into the technical training of a surgeon using VR simulators.<sup>47</sup>

The limited evidence from observational studies indicates that non-technical skills constitute a critical component of surgical competence. Break-downs in teamworking and communication (especially with anaesthetists), lack of situation awareness, and flawed decision making can lead to poor outcomes for patients.<sup>18,20</sup> Conversely, effective surgeons can be seen to demonstrate their non-technical skills as an integral part of their expertise.<sup>31</sup>

**Adverse event analysis.** *Incident reporting in surgery:* The systematic analysis of near misses, incidents, and accidents is an essential diagnostic process for safety management in industry.<sup>48</sup> The current adverse event reporting regimes in surgery

do not capture failures in non-technical skills as well as they do in other industries. In the United Kingdom, there are 2 main audits that monitor deaths associated with surgery, the National Confidential Enquiry into Perioperative Deaths (NCEPOD), and the Scottish Audit of Surgical Mortality (SASM).<sup>49</sup> The nature of data fed back to individual hospitals and in case assessments highlights that SASM is strong on providing technical feedback and on reporting the proximal causes of error but provides relatively little in the way of human factors information and limited insight into non-technical skills in surgery. There are 2 likely causes: (1) the forms used to collect data do not adequately capture human factors or non-technical contributions to incidents and (2) the coding framework used to analyze the incident reports does not adequately deal with non-technical skills. These conditions explain the current technical (ie, what happened) bias in published audit reports in favor of non-technical (ie, why it happened) causes of adverse events.

*Studies of medical error:* Several methods have been used to identify the human factor causes of medical error, including task analysis,<sup>50</sup> focus groups<sup>51</sup>, and human reliability analysis of operations.<sup>52</sup> Such studies of adverse events commonly cite failure of teamworking and communication in the etiology of medical incidents.<sup>53</sup> From an interview study in the United States, Gawande et al<sup>3</sup> report that 43% of adverse events in surgery occurred as a result of breakdowns in communication. Sheridan et al<sup>54</sup> also explored the inherent complexity of surgery and identified 2 factors that appear to be most pertinent to non-technical skills causes of error: individual factors (eg, judgment, risk-aversion, risk tolerance, stress, fatigue), and team factors (eg, prior team history, experience working as a team, communication, coordination).

Reduction of error in medicine may be achieved by improvements in medical education, although the changes required may need to address deep-seated attitudes of denial and collusion regarding error in medicine.<sup>55,56</sup> There is also growing acknowledgement of the importance of instituting early human factors training into undergraduate curricula.<sup>57</sup>

The studies of adverse events and errors have not yet provided a rich database for the identification of surgeons' non-technical skills, principally because of a historical lack of attention to the nonclinical causes of outcome. This appears to be altering with the renewed emphasis on the need to understand human error across the medical profession.

**Table IV.** Non-technical skills assessed in SMS

<i>Non-technical skills assessed</i>	<i>Method of assessment</i>
Initiative	Simulator and expert
Information seeking	Simulator
Information utilization	Simulator
Emergency responses	Simulator
Use of strategy	Simulator
Response to immediate context	Simulator
Response to broad context	Simulator
Flexibility in thinking	Simulator
Motivation	Expert
Sustained efforts to optimize patient outcomes	Expert
Critical thinking	Expert
Flexibility of approach	Expert
Communication with team members	Expert
Use of information	Expert
Sensitivity to changes in patient condition	Expert

Adapted from Satish et al.<sup>45</sup>

**Surgical education, training, and competence assessment.** Current assessment formats for surgical trainees test core knowledge and technical skills. However, in doing so, they may also underemphasize some important domains, including interpersonal skills, professionalism, and integration of core knowledge and non-technical skills into clinical practice.<sup>58</sup> Competence assessment systems have been developed such as the Objective Structured Clinical Examination<sup>59</sup> (OSCE) and the Objective Structured Assessment of Technical Skills,<sup>60</sup> (OSATS) although these currently focus on technical skills. Newble and Southgate<sup>61</sup> provide a set of literature-based guidelines for “high stakes” assessment for certification of consultant surgeons, but they do not consider assessment of non-technical skills. Notwithstanding considerable attention to technical competence, Sidhu et al<sup>62</sup> recently argued that “despite its importance to surgeons, technical competence has historically been assessed poorly and continues to receive little attention among the core competencies defined by CanMEDS and the ACGME [Accreditation Council for Graduate Medical Education].” Despite this assertion, the ACGME has recently established 6 competencies for resident and fellow development. These include technical and non-technical skills including patient care, medical knowledge, practice-based learning, interpersonal and communication skills, and systems-based practice.

The BST assessment form was the first standardized method of assessing the overall surgical

**Table V.** Main categories of surgeons' non-technical skills identified in this review

Identified non-technical skills	Source			
	Questionnaire/interview	Observation	Adverse events	Medical education
<b>Interpersonal skills</b>				
Communication	✓	✓	✓	✓
Leadership	✓	✓		✓
Teamwork	✓	✓	✓	✓
Briefing/planning/preparation		✓	✓	
Resource management	✓	✓		
Seeking advice and feedback	✓			
Coping with pressure/stress/fatigue	✓		✓	
<b>Cognitive skills</b>				
Situation awareness	✓			
Mental readiness	✓			
Assessing risks		✓		
Anticipating problems		✓		
Decision making	✓	✓		✓
Adaptive strategies/flexibility		✓		
Workload distribution	✓	✓		

competence of trainees and was developed in Edinburgh as discussed previously.<sup>26</sup> It has been tested successfully for feasibility (by response rate), reliability (by test-retest and internal consistency), and construct validity (by determining improvement after 1 year of training) in a sample of 36 UK trainee surgeons.<sup>63</sup> Recent analysis found the BST to have an acceptable level of concurrent validity.<sup>64</sup>

Galasko<sup>65</sup> suggests a theoretically derived set of competencies for surgeons necessary for a Certificate of Completion of Specialist Training. These include communication with members of the surgical team, decision making, judgment, teaching, teamworking, analytic skills, and management skills. In the United Kingdom, the Joint Committee on Higher Surgical Training currently assesses SpR trainees' judgment, teamworking, leadership, and communication, and is developing a new curriculum for standards-based training for higher surgical competence ([www.jchst.org](http://www.jchst.org)). The greatest challenge in developing non-technical training in surgery is to identify explicitly the skills that are necessary for good practice and hence the skills that should be trained.

## DISCUSSION

This review attempted to identify surgeons' non-technical skills from the surgical and psychological literature and then establish whether there was a valid and reliable taxonomy and associated behavioral marker system available for the assessment of surgeons' non-technical skills.

**Identified non-technical skills.** This review provides an emerging set of core skills, and the sources consulted offered slightly different perspectives on which non-technical skills are most important in surgery. The most commonly studied skill categories were communication, leadership, teamworking, and decision making. Table V lists the core skills, cross-referenced with the sources in which they were identified. Whereas the evidence gathered has confirmed the importance of non-technical skills in surgery, very few studies attempted to decompose these major skill categories (eg, decision making) into their component behavioral elements.

One of the reasons for the lack of emphasis on non-technical skills in surgery may be that tacit skills are not easily identified by traditional task analysis techniques (such as observation and direct questioning), because they form the basis of expertise and are difficult to verbalize.<sup>66</sup> Techniques such as cognitive task analysis<sup>67</sup> are more subtle and have been used successfully in a recent project to identify the non-technical skills required by anaesthetists.<sup>16</sup> This technique involves identifying the key cognitive skills and resources required to complete tasks, often by using a structured interview to probe goal generation, decision making, and expert judgments. Structured qualitative analyses have been used also to examine different perspectives of team communication in the operating theatre.<sup>68</sup>

**Assessment of existing behavioral marker systems.** Five complete or partial taxonomies of surgeons' non-technical skills were identified in the

literature (Baldwin et al,<sup>26</sup> Carthey et al,<sup>31,32</sup> Helmreich et al,<sup>34</sup> Healey et al,<sup>36</sup> Satish et al<sup>45</sup>). Research in other acute domains (eg, anaesthesia, civil aviation) has established design criteria for the development of behavioral rating systems, stipulating that they should comprise specific, observable behaviors that are well defined and contribute to superior or substandard performance; be parsimonious but encompass the most important behaviors; use domain-specific language and terminology; and be explicit, transparent, valid, and reliable. Additionally, the skills and behavioral markers should either be directly observable in the case of social skills or inferred from observing communication or other behaviors in the case of the cognitive skills.<sup>15,69,70</sup> The frameworks developed for surgery are assessed against these criteria in this section.

In general, these frameworks appear to be developed on the basis of surgeons' opinions with a relative lack of supporting empirical work. The systems are parsimonious and use domain-specific terminology; however, most are at an early stage of evolution or cover only a subset of non-technical skills.<sup>31,32,34,36</sup> The relative lack of conceptual clarity, psychometric evaluation, and user training with these frameworks may be the cause of mixed results when ratings are run against surgical outcomes.<sup>18,32</sup> The BST system developed by Baldwin et al<sup>26</sup> offers arguably the best-developed taxonomy of technical as well as some non-technical skills, and the assessment form that accompanies it appears to have acceptable psychometric properties.<sup>63,64</sup> However, this has been developed for trainees rather than qualified surgeons; hence, the predictive power of this tool has not yet been established in terms of its ability to discriminate the competent from the incompetent surgeon. The study by Satish et al<sup>45</sup> is able to do this but concentrates on cognitive skills in simulated computer-based scenarios rather than behaviors in the operating room.

This review has failed to identify an adequate behavioral marker system for rating the full range of surgeons' non-technical skills, but synthesising the results from the literature reviewed in the current report allows us to propose a draft taxonomy. This is presented in Table VI and will be used as a basis for further development in this field, a strategy for which is outlined in the following section.

## CONCLUSIONS AND STRATEGY FOR FURTHER RESEARCH

The current state of assessment of surgeons' non-technical skills is in its infancy. Although imperfect, the studies reviewed here have sought to identify,

**Table VI.** Proposed draft non-technical skills taxonomy

<i>Interpersonal skills</i>	<i>Cognitive skills</i>
Communication	Situation awareness
Leadership	Mental readiness
Teamwork	Assessing risks
Briefing/planning/preparation	Anticipating problems
Resource management	Decision making
Seeking advice and feedback	Adaptive strategies/flexibility
Coping with pressure/stress/fatigue	Workload distribution

develop, and rate surgeons' non-technical skills and established important groundwork in this field. Because the systems assessed in this review do not conform to the suggested criteria for behavioral marker systems, a project sponsored by the Royal College of Surgeons of Edinburgh and NHS Education for Scotland (NES) is now underway to identify the non-technical skills necessary for good intraoperative surgical practice and to develop a behavioral marker system to support surgical training<sup>71</sup> (<http://www.abdn.ac.uk/iprc/notss>). This work is a cross-disciplinary collaboration between surgeons and psychologists, in conjunction with anesthetists from the Scottish Clinical Simulation Centre who are developing non-technical skills training. This project has been designed explicitly to concentrate on the development of the system and to establish its psychometric properties before it is used in theater to rate and provide feedback on performance. The system is being developed in accordance with a 3-phase model of systems design,<sup>72</sup> which emphasizes (1) task analysis, (2) iterative development, and (3) evaluation. Five methods of data collection are being used in phase 1, including this literature review, analysis of theater personnel attitudes to teamwork and safety, cognitive interviews with consultant surgeons and theater nurses, observations in the operating room, and analyses of adverse events. In phase 2, the system will be developed by independent panels of surgeons using an iterative process. The reliability of the rating system will be tested using standardized scenarios filmed in the operating room and operating room simulator.

The output from this research will be a taxonomy of surgeons' non-technical skills with an associated behavioral marker system and training package on how to use the system. The system will be structured into category and element levels. Observable behaviors (markers) indicative of good and poor

performance will be developed for each element. Once a skills taxonomy and behavioral marker system have been developed, and their validity and reliability established, they can be used as the basis for syllabus development, design of course materials debriefing and as a formative assessment tool for evaluating surgeons' non-technical skills.

The views presented are those of the authors and should not be taken to represent the position or policy of the funding bodies. The authors thank the Library of the Royal College of Surgeons of Edinburgh for assistance with the literature search and Professors Reznick, Macpherson, and Rowley and Ms Paisley for comments on an earlier draft.

### REFERENCES

- Bogner M, editor. Human error in medicine. Hillsdale, NJ: LEA; 1994.
- Bogner M, editor. Misadventures in health care. Mahwah, NJ: LEA; 2004.
- Gawande AA, Zinner MJ, Studdert DM, Brennan TA. Analysis of errors reported by surgeons at three teaching hospitals. *Surgery* 2003;133:614-21.
- Wilson J. A practical guide to risk management in surgery: developing and planning. Health Care Risk Resources International—Royal College of Surgeons symposium 1999.
- Salas E, Bowers C, Edens E, editors. Improving teamwork in organizations: applications of resource management training. Mahwah, NJ: LEA; 2001.
- Fletcher GCL, McGeorge P, Flin RH, Glavin RJ, Maran NJ. The role of non-technical skills in anaesthesia: a review of current literature. *Br J Anaesth* 2002;88:418-29.
- Flin R, Goeters K, Amalberti R, et al. The development of the NOTECHS system for evaluating pilots' CRM skills. *Human Factors and Aerospace Safety* 2003;3:95-117.
- Flin R, O'Connor P, Mearns K. Crew resource management: training teams in high risk industries. *Team Performance Management* 2002;8:68-78.
- Giddings AEB. Human factors in surgery. Discussion document. Association of Surgeons of Great Britain and Ireland: London; 2001.
- General Medical Council. Seven principles of professional practice. London: General Medical Council; 2000.
- Giddings A, Mansfield A. A handbook on consultant surgeons—team working in surgical practice. Senate of Surgery of Great Britain and Ireland. Edinburgh: The Royal College of Surgeons of Edinburgh; 2000.
- Sarker SK. Courses, cadavers, and counsellors: reducing errors in the operating theatre. *BMJ Careers* 2003;4:109.
- Flin R, Martin L. Behavioural marker systems in aviation. *International Journal of Aviation Psychology* 2001;11:95-118.
- Helmreich RL, Foushee HC. Why crew resource management? Empirical and theoretical bases of human factors training in aviation. In: Wiener E, Kanaki B, Helmreich R, editors. Cockpit resource management. San Diego: Academic Press; 1993. p. 3-45.
- Klampfer B, Flin R, Helmreich RL, Hausler R, Sexton B, Fletcher G, et al. A. Group interaction in high risk environments: enhancing performance in high risk environments, recommendations for the use of behavioural markers. Berlin: GIHRE; 2001.
- Fletcher G, Flin R, McGeorge P, Glavin R, Maran N, Patey R. Anaesthetists' non-technical skills (ANTS): evaluation of a behavioural marker system. *Br J Anaesth* 2003; 90(5):580-8.
- GMC. Good medical practice. London: GMC; 2001.
- de Leval MR, Carthey J, Wright DJ, Farewell VT, Reason JT. Human factors and cardiac surgery: a multicentre study. *J Thorac Cardiovasc Surg* 2000;119(4):661-72.
- Schaeffer H, Helmreich R. The operating room management attitudes questionnaire. (ORMAQ). NASA/University of Texas Technical Report, 93-8. Austin, Texas, 1993.
- Helmreich RL, Schaefer HG. Team performance in the operating room. In: Bogner M, editor. Human error in medicine. New Jersey: LEA; 1994. p. 225-53.
- Pisano GP, Bohmer RMJ, Edmondson AC. Organizational differences in rates of learning: evidence from the adoption of minimally invasive cardiac surgery. *Management Science* 2001;47(6):752-68.
- Helmreich RL, Davies JM. Human factors in the operating room: interpersonal determinants of safety, efficiency and morale. *Bailliere's Clin Anaesthesiol* 1996;10(2):277-95.
- Sexton JB, Thomas EJ, Helmreich RL. Error, stress, and teamwork in medicine and aviation: cross sectional surveys. *Br Med J* 2000;320:745-9.
- Edmondson AC. Speaking up in the operating room: how team leaders promote learning in interdisciplinary action teams. *Journal of Management Studies* 2003;40(6):1419-52.
- Flin R, Fletcher G, McGeorge P, Sutherland A, Patey R. Anaesthetists' attitudes to teamwork and safety. *Anaesthesia* 2003;58:233-42.
- Baldwin PJ, Paisley AM, Paterson-Brown S. Consultant surgeons' opinions of the skills required of basic surgical trainees. *Br J Surg* 1999;86:1078-82.
- Cuschieri A, Francis N, Crosby J, Hanna GB. What do master surgeons think of surgical competence and revalidation? *Am J Surg* 2001;182:110-6.
- McDonald J, Orlick T, Letts M. Mental readiness in surgeons and its links to performance excellence in surgery. *J Pediatr Orthop* 1995;15:691-7.
- Youngson GG. Surgical competence: acquisition, measurement, & retention. Edinburgh: Royal College of Surgeons of Edinburgh; 2000.
- Brock M. Leadership qualities in prominent neurosurgeons. *Acta Neurochir* 1997;69:8-11.
- Carthey J, de Leval MR, Reason JT. Understanding excellence in complex, dynamic medical domains. In: proceedings of the international ergonomics association and human factors society triennial conference. Santa Monica, CA: The Human Factors and Ergonomic Society Press; 2000. p. 136-9.
- Carthey J, de Leval MR, Wright DJ, Farewell VT, Reason JT. and all UK paediatric cardiac centres. Behavioural markers of surgical excellence. *Safety Science* 2003;41:409-25.
- Roth EM, Christian CK, Gustafson M, Sheridan TB, Dwyer K, Gandhi T, et al. Using field observations as a tool for discovery: analyzing cognitive and collaborative demands in the operating room. *Cognition, Technology and Work* 2004;6(3):148-57.
- Helmreich R, Schaefer H, Sexton J. The operating room checklist. Technical Report 95-10. Austin Texas: NASA/University of Texas/FAA; 1995.
- Helmreich R, Butler R, Taggart W, et al. The NASA/University of Texas/FAA/Line LOS Checklist. A behavioural marker-based checklist for CRM skills assessment. Technical

- Report 94-02. Austin, Texas: NASA/University of Texas/FAA; 1994.
36. Healey AN, Undre S, Vincent CA. Developing observational measures of performance in surgical teams. *Quality and Safety in Healthcare* 2004;13(Suppl I):i33-40.
  37. Dickinson TL, McIntyre RM. A conceptual framework for teamwork measurement. In: Brannick MT, Salas E, Prince C, editors. *Team performance assessment and measurement: theory, methods, and applications*. Series in applied psychology. Mahwah, NJ: Erlbaum Associates Inc; 1997.
  38. Mackenzie CF, Xiao Y. Video techniques and data compared with observation in emergency trauma care. *Quality and Safety in Healthcare* 2003;12(Suppl II):51-7.
  39. Perry SJ, Lauer DJ, Luten RC, Wears RL. Video analysis of emergency endotracheal intubation using rapid sequence induction before and after teamwork training. Paper presented at Video-based research in medicine conference, Baltimore Trauma Centre, September 2002.
  40. Dominguez C. Expertise in laparoscopic surgery. In: Salas E, Klein G, editors. *Linking expertise and naturalistic decision making*. Mahwah, NJ: LEA; 2001.
  41. Gaba D, Howard S, Fish K, Smith B, Sowb Y. Simulation-based training in anaesthesia crisis resource management (ACRM): A decade of experience. *Simulation and Gaming* 2001;32:175-93.
  42. Gaba DM, Howard SK, Flanagan B, Smith BE, Fish KJ, Botney R. Assessment of clinical performance during simulated crises using both technical and behavioral ratings. *Anesthesiology* 1998;89:8-18.
  43. Helmreich R, Schaeffer H. Turning silk purses into sows' ears: human factors in medicine. In: Henson L, Lee A, editors. *Simulators in anaesthesiology education*. New York: Plenum; 1998. p. 1-8.
  44. Kneebone R. Simulation in surgical training: educational issues and practical implications. *Medical Education* 2003;37:267-77.
  45. Satish U, Streufert S, Marshall R, Smith JS, Powers S, Gorman P, et al. Management simulations is a novel way to measure residents' competencies. *Am J Surg* 2001;181:557-61.
  46. Sheridan TB, Ottensmeyer M, Kim S. Human-computer cooperation and intervention in telesurgery. *Robotics and Autonomous Systems* 1996;18:127-34.
  47. Seymore NE, Gallagher AG, Roman SA, et al. Virtual reality training improves operating room performance: results of a randomized, double-blinded study. *Ann Surg* 2002;236(4):458-64.
  48. Reason J. *Managing the risks of organizational accidents*. Aldershot: Ashgate; 1997.
  49. SASM. (2003). *Scottish Audit of Surgical Mortality Annual Report—2001 data*. Glasgow: SASM; 2003.
  50. Kirwin B, Ainsworth LK. *A guide to task analysis*. London: Taylor & Francis; 1992.
  51. Menachemi N, O'Connor S, Schewchuk R. Physicians' perceptions of medical errors. Paper presented at the Academy of Management Annual Meeting; Denver, August 2002.
  52. Joice P, Hanna GB, Cuschieri A. Errors enacted during endoscopic surgery—a human reliability analysis. *Applied Ergonomics* 1998;29(6):409-14.
  53. Spath P, editor. *Error reduction in healthcare*. New York: Jossey Bass; 2000.
  54. Sheridan TB, Christian CK, Dierks MM, Roth EM. Factors contributing to surgical risk; under review.
  55. Alberti KGMM. Medical errors: a common problem. *Br Med J* 2001;322:501-2.
  56. Lester H, Tritter JQ. Medical error: a discussion of the medical construction of error and suggestions for reforms of medical education to decrease error. *Medical Education* 2001;35:855-61.
  57. Pilpel D, Schor R, Benbassat J. Barriers to the acceptance of medical error: the case for a teaching programme. *Med Educ* 1998;35:3-7.
  58. Epstein RM, Hundert EM. Defining and assessing professional competence. *JAMA* 2002;287(2):226-35.
  59. Harden R, Gleeson F. Assessment of clinical competence using an objective, structured clinical examination (OSCE). *Med Edu* 1979;13:41-54.
  60. Darzi A, Datta V, Mackay S. The challenge of objective assessment of surgical skill. *Am J Surg* 2001;181:484-6.
  61. Newble DI, Southgate L. The principles and practice of assessing competence. *Proceedings of the Surgical competence: Challenges of assessment in training and practice conference*, London, 1999.
  62. Sidhu RS, Grober ED, Musselman LJ, Reznick RK. Assessing competency in surgery: where to begin? *Surgery* 2004;135(1):6-20.
  63. Paisley AM, Baldwin PJ, Paterson-Brown S. Feasibility, reliability and validity of a new assessment form for use with basic surgical trainees. *Am J Surg* 2001;182:24-9.
  64. Driscoll PJ, Maran NJ, Paterson-Brown S. The high fidelity patient simulator and surgical critical care. *Proceedings of the Annual Scientific Meeting of the Association for the Study of Medical Education*, Edinburgh, 2003.
  65. Galasko CBS. Assessment of Professional, Clinical and Surgical Skills in the workplace. *Proceedings of the Surgical competence: Challenges of assessment in training and practice conference*, London, 1999.
  66. Salas E, Klein G, editors. *Linking expertise and naturalistic decision making*. Mahwah, NJ: LEA; 2001.
  67. Seamster T, Redding R, Kaempf G. *Applied cognitive task analysis in aviation*. Aldershot: Avebury; 1997.
  68. Lingard L, Reznick R, DeVito I, Espin S. Forming professional identities on the health care team: discursive constructions of the 'other;' in the operating room. *Med Educ* 2002;36:728-34.
  69. JAR TEL consortium. *Joint Aviation Requirements Translation and Elaboration of Legislation. Workpackage 3: Results of Experiment*. Prepared for the European Commission, DG VII Contract no.AI-97-SC.2037, 2000.
  70. Seamster TL, Redding R, Kaempf GL. *Applied cognitive task analysis in aviation*. Aldershot: Avebury; 1997.
  71. Flin R, Yule S, Paterson-Brown S, Maran N. Surgeons' non-technical skills. In: *Proceedings of the International Meeting on Medical Simulation*. Albuquerque, January, 2004.
  72. Gordon SE. *Systematic training programme design: maximizing effectiveness and minimizing liability*. Englewood Cliffs, NJ: Prentice Hall; 1993.