



Health and Safety Standards for Contractors

 UNIVERSITY OF ABERDEEN	Health and Safety Standards for Contractors	Document No.	HS-GN-021
		Date	01.06.2023
		Pages	2 of 18
		Revision	Rev 1

Revision Record

Issue	Date	Reason for Review
Draft 1	July 2023	Due for review & transferred onto new document template

Document No.	HS-GN-021
Date	01.06.2023
Pages	3 of 18
Revision	Rev 1

Contents

1.0	Purpose of the Guidance	5
2.0	Scope of Guidance	5
3.0	Definitions / Acronyms	5
4.0	General Health and Safety Requirements	6
4.1	Contractors Should	6
4.2	Conduct on University Premises	6
5.0	Procedure for the Commencement of Work	7
6.0	Signing In and Out	7
7.0	Identification	8
8.0	Risk Assessment and Method Statement (RAMS)	8
9.0	Personal Protective Equipment (PPE)	8
10.0	Accidents, Incidents and Near Misses	8
11.0	Safety Signs and Notices	9
12.0	Storage of Waste	9
13.0	Pedestrian Routes	9
14.0	Noise	10
15.0	Dust and Fumes	10
16.0	Vehicles and Deliveries	10
17.0	Asbestos	11
18.0	Electricity and Building Services	11
18.1	Work on Electrical Systems	11
18.2	Isolation and De-isolation of Building Services	11
18.3	Portable Electrical Equipment	12
19.0	Fire Safety	12
19.1	Fire Procedures	12
19.2	Fire Separation	12
20.0	Work at Height	12
20.1	Permit to Access Roof	12
20.2	Ladders and Stepladders	13
20.3	Harnesses and Lanyards	13
20.4	Scaffolds	13

Document No.	HS-GN-021
Date	01.06.2023
Pages	4 of 18
Revision	Rev 1

20.5	Mobile Scaffolds.....	13
20.6	Mobile Elevating Work Platforms (MEWPS)	13
21.0	Laboratories and Associated Services (including fume hoods)	14
21.1	Fume Cupboard Extracts and their Services	14
21.2	Work on other items within laboratories	14
22.0	Confined Spaces.....	14
23.0	Chemical and Biological Hazards	15
23.1	Chemicals	15
23.2	Discarded Hypodermic Needles.....	15
24.0	Drones.....	15
25.0	Fire Alarm Test Schedule	16
25.1	Kings Campus – Tuesday.....	16
25.2	Kings Campus – Wednesday	16
25.3	Aberdeen Sites – Wednesday	17
25.4	Foresterhill Campus – Wednesday	17
25.5	Hillhead Student Village – Wednesday.....	17
25.6	Outlying Sites – Wednesday	17
26.0	Useful Telephone Numbers	18
27.0	Acknowledgement and Receipt	18
28.0	References	18

	Health and Safety Standards for Contractors	Document No.	HS-GN-021
		Date	01.06.2023
		Pages	6 of 18
		Revision	Rev 1

4.0 General Health and Safety Requirements

4.1 Contractors Should

1. Provide adequate security around work areas to control the risk of unauthorised access, deliberate fire raising, vandalism, theft and injury
2. Keep pedestrian routes (see also section 11) clear to avoid:
 - Slip, trip and fall hazards
 - Potential difficulties in evacuating buildings in the event of a fire
3. Control works creating dust or fumes (see also section 13) such that they do not cause:
 - False fire alarm activations
 - Conditions in which the inhalation of dust or fumes by nearby building occupants can cause irritation to their respiratory systems
4. Manage and supervise vehicles operating on University property to protect pedestrians from risk associated with reversing vehicles. This should be done through the use of trained banks person, driving at designated and posted speed limits, parking in designated bays, and safe loading / unloading of materials in busy areas
5. Control or reduce the risk of
 - Accidental damage to service lines, such as the cutting of live electrical cables
 - Contact with old electrical cables which have ben cut in the past and may still be connected to a power source
6. Avoid disturbance of materials containing asbestos (see also section 15) at all times
7. Use appropriate equipment for safe work at height tasks (see also section 18) and ensure no misuse of equipment or working on unprotected roof edges

4.2 Conduct on University Premises

1. No one under the influence of alcohol or drugs is permitted to carry out any work on university premises
2. Contractors should carry their identification cards at all times and will be expected to show them to authorised staff before they gain access to University property
3. Damage to plants, trees, paths etc should be prevented. If some damage is inevitable, this should be discussed and agreed with the University Contact and any damage reinstated as agreed
4. All equipment, tools and materials should be used correctly and not left in a dangerous or inconvenient position within the property. All equipment belonging to a contractor shall be labelled with the contractors name and / or details. Agreement should be reached with the University on the placing of such items
5. Doors and windows should not be left open unnecessarily and only after the University Contact has been advised.
6. Smoking inside University premises is not permitted. Smoking is only permitted in designated areas outside.
7. Parking of vehicles should be in designated areas only and vehicles should be reverse parked wherever possible and safe to do so.
8. All contactors engaged in site engineering or construction related projects, and the staff of any sub-contractors, should be time served in the relevant trade and have a CCNSG (Client Contractor National Safety Group) Safety Passport or an equivalent course depending on their trade. If this requirement is not relevant to their trade, they must have passed the CSCS (Construction Skills Certification Scheme) Health, Safety & Environment Test or an

	Health and Safety Standards for Contractors	Document No.	HS-GN-021
		Date	01.06.2023
		Pages	7 of 18
		Revision	Rev 1

equivalent test to a similar standard. Proof of completion of all courses and tests must be carried with the site operative at all times whilst on university property.



9. Contractors' operatives and their sub-contractors must have received asbestos awareness training (see also section 15)
10. In addition to this, site managers and supervisors working on larger contracts should have received the additional health and safety training necessary for these roles e.g. CITB Site Management Safety Training Scheme (SMSTS) Site Safety Plus
11. Contractors engaged or repairing or maintain IT equipment will not require CCNSG safety passport of CSCS Health, Safety and Environmental Test but should be able to provide proof of competence in the relevant work.

5.0 Procedure for the Commencement of Work

Contractors will be given a point of contact within the University (the Contact). Contractors should never start work on a job without approval of the Contact (or someone who is deputising for them). The contractor shall ensure that an official Purchase Order is obtained from the Contact prior to commencing any works.

Contractors must not take instructions to carry out work from any other member of staff unless authorised by the Contact.

Contractors shall not deviate from their original scope of work without the approval of the Contact.

6.0 Signing In and Out

All contractors must sign in and out on a daily basis at a point agreed with the University Contact.

When signing in the following must be provided:

- Names of all operatives
- Proof of possession of the Health and Safety Standards for Contractors
- Specify work location (if possible)
- Contact mobile telephone number
- Purchase Order number from order sheet

 UNIVERSITY OF ABERDEEN	Health and Safety Standards for Contractors	Document No.	HS-GN-021
		Date	01.06.2023
		Pages	8 of 18
		Revision	Rev 1

7.0 Identification

Contractors' passes will be issued when they sign in. Passes MUST be worn at all times.

Contractors' vehicle passes must be obtained on a daily basis which will allow parking on all campuses. Please note that the pass allocates a 'space' on campus but does not allow parking out with an allocated space (e.g. hatched areas, disabled areas, pavements, double yellow lines and especially at the front of the Elphinstone Cloister). Parking tickets will be issued for violation of the parking conditions.

8.0 Risk Assessment and Method Statement (RAMS)

For non-routine maintenance works, a risk assessment of the work to be carried out and a method statement for the safe execution of the work must be prepared and submitted to the Contact authorising the work at least one week in advance of the works commencing. Where this is not possible, they must always be submitted before the works commence.

For routine maintenance works RAMS must be supplied and must always cover the works being carried out. The contractors' operatives must also have copies of these whilst on site and they must be signed by the operatives as read and understood.

Where works are undertaken out with any of the supplied risk assessments, the contractors' operatives must document and sign a specific site based risk assessment for the task.

All contractors should have a detailed understanding of the risks involved in the work tasks and the precautions and controls that are required to carry out the works safely.

9.0 Personal Protective Equipment (PPE)

The contractors risk assessment and / or method statement must state what type of PPE is required to carry out the task.

PPE, which is appropriate to the work task, must be worn at all times.

10.0 Accidents, Incidents and Near Misses

The university operates a procedure for reporting accidents, incidents and near misses. In the event of an accident, incident or near miss, the contractor will be required to submit to the University report providing appropriate details. This procedure is in addition to the contractors' responsibilities for reporting under the Reporting Injuries, Diseases and Dangerous Occurrences Regulations (RIDDOR).

11.0 Safety Signs and Notices

All safety signage and notices deployed must be appropriate for the work being carried out. Signs or cones should be used along with the standard red and white barrier tape.



The following sign on all work sites is required.



12.0 Storage of Waste

Contractors are responsible for storing and disposing of waste produced as a result of their work activities. University waste receptacles are not to be used unless specific permission has been given by the University Contact.

13.0 Pedestrian Routes

Routes inside and outside buildings which are used by pedestrians should be kept free from any slip or trip hazards.

When carrying out their work, contractors must always consider how people will escape from the building in the event of a fire.

If a fire escape route has the potential to be obstructed during the course of works, the University Contact should be consulted. The escape route may then be closed off and alternative escape routes agreed and formed (including signage) along with notification to the building users prior to works commencing.

Fire doors should never be wedged open for any reason.

Document No.	HS-GN-021
Date	01.06.2023
Pages	10 of 18
Revision	Rev 1

14.0 Noise

Many of the activities carried out by contractors are by their very nature, noisy. There is the potential for levels of noise to become so loud that they disrupt teaching activities or other events (e.g. exams or conferences) taking place across the University.

In some sensitive locations the times when work can be carried out may be restricted. The University Contact should state any working restrictions in place.

Radios or music from any device are not permitted on campus.

15.0 Dust and Fumes

In work areas which are immediately next to areas still occupied by the University, barriers to prevent the passage of dust will be required if the works are likely to create significant quantities of dust. These may take the form of polythene sheeting on timber framing or temporary seals placed around existing doors.

Dust and fumes can be transferred through ventilation systems, open windows and other openings, causing irritation to other occupants within the building or triggering fire detectors. Any works likely to create large quantities of dust or fumes should be discussed with the University Contact beforehand.

16.0 Vehicles and Deliveries

Delivery vehicles are granted access and short term parking for the purposes of delivery and collection. There is no requirement for delivery vehicles to display a permit. If a delivery vehicle is likely to be on site for longer than 15 minutes, they should follow the procedures for contractor vehicles.

Deliveries of materials to work locations should, wherever possible, be made at times when the campus is not busy (i.e. early morning). Busy transit periods should be avoided i.e. during periods when lectures are about to start/finish (normally on the hour). Materials should be unloaded within the site compound wherever possible; precautions may be required where this is not possible (e.g. temporary barriers).

All vehicle passes remain the property of the University and may be withdrawn from the user at any time. All vehicle passes must be clearly displayed in the front window of the vehicle.

Parking Charge Notices (PCN) will be issued to vehicles parked in contravention of the University's parking regulations.

	Health and Safety Standards for Contractors	Document No.	HS-GN-021
		Date	01.06.2023
		Pages	11 of 18
		Revision	Rev 1

There can be a large number of pedestrians walking around the University campus at any one time (staff, students and members of the public, including children). Pedestrians are at risk from speeding vehicles or vehicles being reversed in an unsafe manner. Contractors therefore need to be vigilant when driving vehicles around the University campuses.

Speed limits are posted on each campus. These must be obeyed at all times. All vehicles should be reverse parked except where, for loading and unloading purposes, reverse parking is not practicable. A banks person must always be used when reversing larger vehicles (unless the vehicle has on board cameras).

17.0 Asbestos

Many of the University's buildings contain asbestos and an asbestos register is kept.

It is vital that if a contractor comes across or disturbs any material which they think might be asbestos that they STOP WORK immediately, secure the area and inform the University Contact.

Under no circumstances should they attempt to clear up any debris that they suspect may contain asbestos material.

18.0 Electricity and Building Services

18.1 Work on Electrical Systems

Only qualified electricians are permitted to work on the University's electrical systems. This includes activities such as stripping out redundant electrical cables and electrical equipment.

Only electrical staff in the University's Estates Section are permitted to isolate / de-isolate electrical circuits. This can be arranged by contacting the Estates Clerk of Works for the building.

Should a contractor find any cables which have been cut or damaged prior to or during the course of their works, then they must STOP WORK immediately and report this to their University Contact

18.2 Isolation and De-isolation of Building Services

The following building services can only be isolated / de-isolated by the University Estates Section staff:

- Air conditioning (Edward Wright data centre only IT can turn off the cooling system)

	Health and Safety Standards for Contractors	Document No.	HS-GN-021
		Date	01.06.2023
		Pages	12 of 18
		Revision	Rev 1

- Gas
- Heating
- Electrical
- Intruder alarms
- Fire detection systems
- Steam
- Ventilation (Edward Wright as only IT can turn off the cooling system)
- Water

18.3 Portable Electrical Equipment

Tools used by contractors should in most cases be either 110 volt or battery operated. Where 110V transformers are used, these must be placed immediately next to the 240V outlet (e.g. not running 240V cables across the site).

19.0 Fire Safety

If any hot work is to be carried out, a Hot Work Permit must be obtained from the University's Estates staff and, if required, a Fire Alarm Isolation should be obtained prior to proceeding with any works.

19.1 Fire Procedures

In the event of a fire:

- a) Warn others in the immediate area by shouting FIRE, then sound the alarm by activating the nearest fire alarm call point.
- b) Only if there is no immediate personal danger, tackle the fire with a suitable fire extinguisher if trained and confident to do so.
- c) Leave the building by the nearest exit and phone the fire brigade.

Fire notices are posted at the entrance to each building. Contractors should familiarise themselves with the content of these notices.

19.2 Fire Separation

Works that will penetrate through fire breaks must only be carried out by Estates and Estates approved contractors.

20.0 Work at Height

20.1 Permit to Access Roof

In order to reduce the risk of falls from roofs, a Roof Access Permit must be obtained from the University's Estates Section prior to proceeding with any roof access or works.

This applies to all roofs, with or without roof edge protection.

 UNIVERSITY OF ABERDEEN	Health and Safety Standards for Contractors	Document No.	HS-GN-021
		Date	01.06.2023
		Pages	13 of 18
		Revision	Rev 1

The Permit to Work will state what minimum precautions are to be taken.

20.2 Ladders and Stepladders

Ladders and stepladders are only suitable for short duration and light work and their use should be discussed with the University Contact prior to commencing works.

There may be other means of access which are more suitable (e.g. mobile tower scaffold, or mobile elevated working platforms, etc) and these should be given due consideration.

The equipment should be in good condition, inspected and appropriate for the activity being carried out.

20.3 Harnesses and Lanyards

Harnesses and lanyards are specialised items of equipment; these should not be used by anyone who has not been trained in their use. Such equipment should also have a formal inspection regime in place.

20.4 Scaffolds

Only trained and certified scaffolders are permitted to erect, adjust and inspect scaffolds on University campuses.

A Handover or Completion Certificate should be supplied to the University Contact prior to leaving campus for all fixed scaffolds erected on campus.

20.5 Mobile Scaffolds

Mobile tower scaffolds should only be erected and used by operatives who have been trained and certified in their use.

20.6 Mobile Elevating Work Platforms (MEWPS)

Mobile Elevating Work Platforms should only be used by operatives who have been trained and certified in their use. Where MEWPS, cherry pickers, scissor lifts etc. are used on campus, the operator should have a copy of the relevant operator's card and the required certificate to operate the machine, and the statutory paperwork pertaining to the machine.

Any machines that are to be left on campus overnight should be left within a designated area and completely closed off with Heras fencing (which must be double clipped).

21.0 Laboratories and Associated Services (including fume hoods)

Contractors should **never enter any laboratory area without permission from an 'authorised' member of the relevant academic School.**



Typical warning signs posted on the entrance doors to laboratories. Do not enter any such areas without the permission of the authorised member of the School.

21.1 Fume Cupboard Extracts and their Services

Fume cupboards provide protection for staff and students handling potentially dangerous substances. Work on fume cupboard systems which is not carried out in a safe manner can put staff, students and contractors at **SERIOUS** risk. No work should be carried out on a fume cupboard or extraction system whilst it is in operation and not without permission from an 'authorised' person from that School.

21.2 Work on other items within laboratories

Special precautions may be required for work on services or equipment within a laboratory as advised or required by the University Contact.

22.0 Confined Spaces

A confined space can be any space of an enclosed nature where there is a risk of death or serious injury from hazardous substances or dangerous conditions (e.g. lack of oxygen).

Some confined spaces are easy to identify, e.g. enclosures with limited openings, storage tanks, silos, reaction vessels, enclosed drains and sewers.

Others may be less obvious, but can be equally dangerous, e.g. open-topped chambers, vats, combustion chambers in furnaces, ductwork, unventilated or poorly ventilated rooms, etc.

Although the University's Estates Section has identified confined spaces in the University, it is not possible to provide a comprehensive list as some places may become confined spaces when work is

 UNIVERSITY OF ABERDEEN	Health and Safety Standards for Contractors	Document No.	HS-GN-021
		Date	01.06.2023
		Pages	15 of 18
		Revision	Rev 1

being carried out in them. Contractors should consult the University’s Estates Section Clerk of Works for the building if a space is likely to be a confined space or may become one as the work progresses.

All contractors must carry out a suitable and sufficient risk assessment for all work activities to decide what precautions, control measures, emergency arrangements etc. are necessary for the safety of all operatives.

For work in confined spaces this means identifying the hazards present, assessing the risks and determining what precautions to take, for example the presence of a standby rescue team.

A Permit to Work will be required from the University’s Estates Section for all access to, and work within, ducts and entry into other confined spaces.

23.0 Chemical and Biological Hazards

23.1 Chemicals

In cases where chemicals are used, the contractor should be aware of the hazards involved in the use of that chemical and the control measures required.

In order to be able to do this, COSHH risk assessments and Material Safety Data Sheets for the chemicals being used should be held on site. These will contain information such as the risks entailed in handling the chemical, precautions to be taken when handling it, the first-aid measures in the event of exposure, and any environmental precautions. They will also be used by the Fire Service in the event of a fire and by medical staff in the event of an injury involving the chemical.

23.2 Discarded Hypodermic Needles

There have been incidents of discarded hypodermic needles being found on campus. Contractors should remain vigilant whilst working on our campus and report to their University Contact if a discarded needle is found.

24.0 Drones

The university has a specific policy on the use of drones. Any contractor proposing to use a drone should refer to this policy and the University Contact should make sure that the Policy on the Use of Drones is adhered to.

Document No.	HS-GN-021
Date	01.06.2023
Pages	16 of 18
Revision	Rev 1

25.0 Fire Alarm Test Schedule

25.1 Kings Campus – Tuesday

- 08.30 - University Library
- 08.40 - 50-52 College Bounds
- 08.50 - Butchart Student Centre
- 09.00 - 46-48 College Bounds
- 09.10 - Powis Gate
- 10.00 - Crombie Halls
- 10.15 - History Block (Crombie Annex)
- 10.20 - Kings Hall
- 10.30 - Johnstone Halls
- 10.45 - Johnston Central
- 11.00 - Elphinstone Road Flats
- 11.10 - St. Marys
- 11.20 - Student Union Building
- 11.25 - 110 High Street
- 11.30 - Old Town House
- 11.35 - 23 St. Machar Drive
- 11.40 - Cruickshank
- 11.50 - Zoology

25.2 Kings Campus – Wednesday

- 07.30 - Meston
- 08.15 - Rocking Horse Nursery
- 08.30 - Kings College (All Zones)
- 08.50 - Kings Pavilion
- 09.05 - Kings Museum, 17 High Street
- 09.20 - Bedford Road Workshops
- 10.00 - Fraser Nobel
- 10.20 - Old Brewery
- 10.25 - 24 High Street
- 10.30 - New Kings

Document No.	HS-GN-021
Date	01.06.2023
Pages	17 of 18
Revision	Rev 1

- 10.35 - 25 High Street (Chaplaincy Centre)
- 10.55 - 9A Dunbar Street
- 11.00 - 5A Dunbar Street
- 11.10 - Edward Wright
- 11.25 - Regent
- 11.30 - University Office
- 11.35 - William Guild
- 11.40 - MacRobert

25.3 Aberdeen Sites – Wednesday

- 08.15 - ASV
- 08.45 - Holland Street Store
- 09.00 - Marischal College
- 10.15 - Chanonry Lodge

25.4 Foresterhill Campus – Wednesday

- 11.00 - Polwarth
- 11.15 - HSB
- 11.25 - Medical Physics
- 11.30 - IMS
- 11.40 - Suttie Centre
- 14.00 - MRF
- 14.20 - Liberty Safe Works
- 14.30 - Pedri Unit
- 09.00 - Rowett

25.5 Hillhead Student Village – Wednesday

- 08.15 - Hillhead Sports Centre
- 09.45 - 12.00 - Hillhead Halls

25.6 Outlying Sites – Wednesday

- 13.15 - Balgownie Pavilion
- 14.10 - Ocean Lab 1
- 14.30 - Ocean Lab 2

 UNIVERSITY OF ABERDEEN	Health and Safety Standards for Contractors	Document No.	HS-GN-021
		Date	01.06.2023
		Pages	18 of 18
		Revision	Rev 1

26.0 Useful Telephone Numbers

Security Control - 01224 273327

Nearest Accident & Emergency is:

Aberdeen Royal Infirmary,
Foresterhill,
Aberdeen,
AB25 2ZN
03454 566000 (or 999 in an emergency)

27.0 Acknowledgement and Receipt

I hereby confirm that I understand the contents of the University's Health and Safety Standards for Contractors and will comply with all the information and instructions given whilst working for the University of Aberdeen.

I understand that I should consult my University Contact regarding any questions or changes to risk assessment and method statements.

Company Name	
Employees Signature	
Employees Name (Print)	
Date Received	

28.0 References

Document Number	Document Name
	Use of Drones Policy